

# SSW-323-F TELEPHONE

**Stainless Steel, Vandal Resistant, Rugged Telephones Built to Last**

## EQUIPPED WITH CAC 6.00 FIRMWARE

The unit is constructed of rugged stainless steel and equipped with a chrome hookswitch and cradle, vandal resistant chrome tone dial, armored cord handset with steel lanyard, and tamper resistant security screws. All CEECO telephones carry a one year warranty; however, CEECO guarantees service for the life of the product!

The CEECO Model SSW-323-F Telephone, equipped with CAC6.00 Firmware, is a microprocessor-based coinless telephone designed to withstand abuse and fraudulent call attempts. The phone may be programmed with the following features:

- Implement call restrictions or allow all calls
- Allow or not allow incoming calls
- Select the width of the dial tone detection window
- Speed-dial pre-programmed numbers automatically dial one or two numbers, when the handset is lifted, i.e., PBX or other access numbers
- Mute the microphone to guard against fraud
- Select tone (DTMF) or pulse dialing
- Automatically time and disconnect a phone call

The SSW-323-F has a number of useful features and you may use any or all of them. Attempts to hookswitch dial will cause the microprocessor to go "on hook" until the attempt has ended.



### SSW-323-F TELEPHONE

#### Measurements:

5" w x 10 3/4" h x 5 1/2" d (on hook)

Stainless Steel Construction with Tamper Resistant Hardware

Marine Quality Chrome Tone Dial, Swivel, and Hookswitch

Equipped with MCRKII Circuit Board and CAC6.00 Software for call features and restrictions

Hearing Aide Compatible Armored Cord Handset with Steel Lanyard

Mounting Backplate Included

Line Powered

Requires 301-037 Security Tool

1 Year Warranty



*Providing Telecommunication Solutions Since 1930*

Communication Equipment  
& Engineering Company

<http://www.ceeco.net>

Email: [sales@ceeco.net](mailto:sales@ceeco.net)

519 SW Park Street  
Okeechobee, FL 34972

Voice 863-357-0798

Fax 863-357-0006

# SSW-323-F TELEPHONE

**Stainless Steel, Vandal Resistant, Rugged Telephones Built to Last**

## EQUIPPED WITH SPD2.01 FIRMWARE

The CEECO 323-F Stainless Steel Wall Telephone is a repertory dialing instrument with call restriction capabilities. It is a microprocessor based instrument designed to automatically dial a preprogrammed number when a two digit code is dialed. A 92 address memory section capable of 11-digits each is field programmable using the keypad. The unit is constructed of rugged stainless steel and equipped with a chrome hookswitch and cradle, vandal resistant chrome tone dial, armored cord handset with steel lanyard, and tamper resistant security screws. All CEECO telephones carry a one year warranty; however, CEECO guarantees service for the life of the product!



### SSW-323-F TELEPHONE

#### Measurements:

5" w x 10 3/4" h x 5 1/2" d (on hook)

Stainless Steel Construction with Tamper Resistant Hardware

Marine Quality Chrome Tone Dial, Swivel, and Hookswitch

Equipped with MCRKII Circuit Board and SPD2.01 Software for call features and restrictions

Hearing Aide Compatible Armored Cord Handset with Steel Lanyard

Mounting Backplate Included

Line Powered

Requires 301-037 Security Tool

1 Year Warranty

### ORDERING INFORMATION—Parts

301-106-32	32" Armored Cord Handset with steel lanyard	401-009	Ringer
301-106-18	18" Armored Cord Handset with steel lanyard (other lengths available)	301-054	Modular Jack
301-528	Mechanical Hookswitch	301-009	Network
301-592	Magnetic Hookswitch	301-018	Modular Line Cord



*Providing Telecommunication Solutions Since 1930*

Communication Equipment  
& Engineering Company

<http://www.ceeco.net>

Email: [sales@ceeco.net](mailto:sales@ceeco.net)

519 SW Park Street  
Okeechobee, FL 34972

Voice 863-357-0798

Fax 863-357-0006

# SPECIFICATIONS

## SPECIFICATIONS


INPUT POWER:	C.O. Line Powered or PBX
LOOP CURRENT:	23mA min to 80mA max (48 Volt Loop)
IMPEDANCE:	600 ohms
SIGNALING:	DTMF, 70ms tone, 50 ms spacing
OUTPUT:	-8.0 to -10.0dbm
HEARING AID COMPATIBLE:	Meets EIA standards
ENVIRONMENTAL:	Temperature 0°C to 50°C Humidity 20%-90% non-condensating
PROGRAMMING:	Via DTMF keypad
RINGER EQUIVALENCY:	0.4A
TYPE JACK:	RJ11C
TELEPHONE COVER:	Brushed 16 ga. Stainless Steel
DIMENSIONS:	5" Wide x 10 3/4" High x 5.5" Deep (handset on-hook)
MOUNTING:	Vertical surface mount
WEIGHT:	7 lbs.
FCC REGISTRATION:	BW-88T7-13717-TE-T
UL LISTED NO.:	60F5

## ACCESSORIES:

301-037

Security Tool  
(required for installation)

Optional Length handsets available



## WARRANTY POLICY

### GENERAL

CEEEO guarantees its products to be free from defects in material and workmanship for a period of 365 days from the date of original purchase. CEEEO's obligation under this warranty is limited to repair or replacement of any part found to be defective by CEEEO.

UNDER NO CIRCUMSTANCES shall CEEEO be liable for loss, damage, cost of repair or consequential damages of any kind, which have been caused by neglect, abuse or improper operation of equipment.

CEEEO will repair or replace any unit during this period if found to be defective for reasons other than abuse and improper use or improper installation. It is the buyer's responsibility to return the defective unit to the factory. CEEEO will then repair or replace any defective parts and return them to the buyer free of charge. CEEEO will continue to offer repair service for the life of the product.

## REPAIR POLICY

### WARRANTY REPAIR

Any device returned requiring warranty service, repair or credit must be accompanied with a "Return Material Authorization" (RMA) Form. It must include: RMA Number, return shipping instructions, original purchase order number, serial number and special marking instructions. A tag with the trouble observed must be attached to the defective unit. This information must be inside the shipping container.

### NON-WARRANTY REPAIR

CEEEO will repair equipment out of warranty for a set charge plus parts. The customer must pay the shipping costs both directions.

**CEEEO has been providing telecom solutions since 1930. Our vandal resistant technology focuses on providing public communication solutions while reducing replacement and repair costs, lowering the customer's total cost of ownership. CEEEO also offers custom design and branding to your specifications.**

**Our commitment to providing expert service and support extends beyond the warranty of our product. We offer service for the life of the product! CEEEO is devoted to giving you the quality and service you deserve.**

**Providing Telecommunication Solutions Since 1930**



Communication Equipment  
& Engineering Company

<http://www.ceeco.net>

Email: [sales@ceeco.net](mailto:sales@ceeco.net)

519 SW Park Street

Okeechobee, FL 34972

Voice 863-357-0798

Fax 863-357-0006